



(62)

अखिल भारतीय तकनीकी शिक्षा परिषद्
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION
(भारत सरकार का एक सांविधिक संस्थान) (A STATUTORY BODY OF THE GOVERNMENT OF INDIA)

S.NO. 5.
F.No:740-87-104(E)/RC/95
Date: 03-06-2002

To
Principal Secretary, Higher & Tech. Edu,
Department of Education,
Block No. 5, 9th Floor, Sachivalaya,
Gandhinagar – 382 010
Gujarat

Subject: Increase in Intake/ Additional Course/ Extension of Approval, to GOVT. ENGINEERING COLLEGE, 4TH FLOOR MS BUILDING,, SECTOR 11, GANDHI NAGAR, GUJARAT,, for conduct of **DEGREE (ENGG)** programmes.

Sir,

I am directed to state that the All India Council for Technical Education (AICTE), is pleased to accord extension of approval to GOVT. ENGINEERING COLLEGE, 4TH FLOOR MS BUILDING,, SECTOR 11, GANDHI NAGAR, GUJARAT,, for the course(s) and intake capacity as given below with the specific conditions that admission shall be made through the Central Counseling by the Govt. of **GUJARAT** only:

COURSE (S)	PREVIOUS APPROVED INTAKE	REVISED APPROVED INTAKE	PERIOD OF APPROVAL
CHEMICAL ENGINEERING	60	60	2002-05
COMPUTER ENGINEERING	60	60	2002-05
ELECTRICAL ENGINEERING	60	60	2002-05
ELECTRONICS & COMM ENGG	60	60	2002-05
INFORMATION TECHNOLOGY	60	60	2002-03
INSTRUMENTATION & CONTROL ENGG	60	60	2002-05
TOTAL	360.	360.	

This approval has been accorded subject to fulfillment of specific conditions listed at Annexure- I (if any) and Norms and Standards & General Conditions as stipulated by Council in Annexure-II.

Further, in the event of infringement/contravention or non-compliance of the norms & standards prescribed by the AICTE during the last approved academic year, the Council shall take further action to withdraw approval to this case for admission during subsequent academic year and the liability arising out of such withdrawal of approval will be solely that of Management / Trust /Society and/or institutions.

Contd...2/-

Shr. S.P. Sare for n-a
gms
26/6/2

S.NO. 5.
F.No:740-87-104(E)/RC/95

The Council reserves the right to visit the Institution any time it may deem fit to verify the compliance of norms and standards of AICTE.

You are requested to kindly monitor the progress made by this institution for fulfillment of the norms & standards of the Council & keep the concerned Regional Committee and AICTE informed.

(P.N.RAZDAN)
ADVISED (UG)

copy to:

1. The Regional Officer, AICTE Central Regional Officer, Tagore Hostel 2, Shamla Hills, Bhopal - 462 002

He is requested to monitor compliance with the norms & standards and conditions stipulated by the Council and keep the concerned Regional Committee and the AICTE informed of the same.

He is also requested to ensure the receipt of notarised undertaking as specified by the Council from the institution / management concerned within the stipulate time frame.


2. The Director of Technical Education.
Block No. 2, 2nd Floor,
Dr. Jivraj Mehta Bhavan,
Gandhinagar - 382 010.

3. The Registrar, concerned University.

He is requested to complete the process of affiliation for facilitating admissions.

4. The Principal, GOVT. ENGINEERING COLLEGE, 4TH FLOOR MS BUILDING,, SECTOR 11, GANDHI NAGAR, GUJARAT, ,

5. Guard File.


(P.N.RAZDAN)
ADVISED (UG)



4
26

(62)


ANNEXURE-I

F. NO. 740-87-104(E)/RC/95

GOVT. ENGG. COLLEGE, M.S.BUILDING, 4TH FLOOR, GANDHINAGAR-
382011.

SPECIFIC CONDITIONS: (These conditions should be complied by 30th September, 2002 and a Report should be submitted to the concerned Regional Office with a copy to H.Q.)

1. Availability of books & computer must be in accordance to AICTE Norms.
2. AICTE Pay scale along with Dearness Allowances, HRA & Provident Fund as per State Govt. Norms must be paid to Faculties.
3. Teacher Student ratio i.e. 1:15 and Ratio of Professor/Assistant Professor/Lecturer i.e. 1:2:4 must be maintained in each department as per AICTE Norms.
4. Director/Principal & Faculty must meet AICTE qualification Norms.
5. Training & Placement Officer must be appointed.



A.K. NASSA
DY. DIRECTOR (UG)

Name of the Institution	Programme
GOVT. ENGINEERING COLLEGE , GANDHI NAGAR 4TH FLOOR MS BUILDING, SECTOR 11, GANDHI NAGAR - 382 010. GUJARAT	Engineering

Faculty:

- ❖ Faculty is the soul of an institution and in the absence thereof an institution cannot impart quality education. However the faculty available with the institution is deficient as per the AICTE norms as detailed below:

Programme	Faculty Required	Faculty Available	Shortfall No.
CHEMICAL ENGG	12	10	2
COMPUTER ENGG	12	3	9
ELECTRICAL ENGG	12	10	2
ELECTRONICS & COMM ENGG.	12	5	7
INFORMATION TECH	12	1	11
INSTRUMENTATION & CONTROL ENGG	12	8	4

- ❖ Principal /director with AICTE prescribed qualification & experience to be appointed
- ❖ Senior faculty in terms of Professor & A.P. as per AICTE norms to be appointed
- ❖ The faculty shortfall and the required cadre ratio as per AICTE norms in all the approved programmes should be fulfilled.

Built-up area:

- ❖ Against the requirement of 15965 sqm, only 5820 sqmt area is available thereby causing a shortfall of 11145 sqmt.

Computer facility:

- ❖ Against the requirement of 363 computers, only 163 computers are available thereby causing a shortfall of 200 computers.
- ❖ LAN facility is available only on 100 computers against the requirement of 181 computers, thereby causing as shortfall of 81.

Library facility:

- ❖ Against the requirement of 13600 books, only 9009 books are available thereby causing a shortfall of 4591.
- ❖ Against the requirement of 72 journals, only 45 journals are available thereby causing a shortfall of 27.

Others:

- ❖ Institute which is at present running in bits and parts (in collectorate building, polytechnic high school) is to be shifted to the new building on a high priority
- ❖ Lack of proper infrastructure
- ❖ Inadequate supporting staff.
- ❖ Teaching learning aids are inadequate
- ❖ Working conditions of labs not satisfactory. Laboratories need to be improved / modernised/ upgraded.
- ❖ Placement activity to be strengthened. Academic performance needs to be improved
- ❖ Academic ambience is poor.
- ❖ Library networking facility is not available.
- ❖ No scape for extra curricular activities

Chau



अखिल भारतीय तकनीकी शिक्षा परिषद्
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION
(भारत सरकार का एक सांविधिक निकाय) (A STATUTORY BODY OF THE GOVT. OF INDIA)

F. No : 740-87-104(E)/RC/95

Date : 14-05-2004

To,
Principal Secretary,
Higher & Tech. Edn.
Department of Education
Block No.5 9th Floor, Sachivalaya
Gandhinagar- 382010

Subject: Extension of approval of AICTE to GOVT. ENGINEERING COLLEGE ,
GANDHI NAGAR, 4TH FLOOR MS BUILDING,, SECTOR 11, GANDHI
NAGAR, GUJARAT,, for the academic year 2004-2005.

Sir / Madam,

The Application / Proposal and / or the Compliance Report Received from GOVT. ENGINEERING COLLEGE , GANDHI NAGAR, 4TH FLOOR MS BUILDING,, SECTOR 11, GANDHI NAGAR, GUJARAT,, has been processed as per laid down procedure, guidelines, policy and / or norms and standards of AICTE, mentioned in AICTE Regulations and / or "AICTE Hand Book for Approval Process".

I am directed to state that the All India Council for Technical Education (AICTE) is pleased to accord approval to GOVT. ENGINEERING COLLEGE , GANDHI NAGAR, 4TH FLOOR MS BUILDING,, SECTOR 11, GANDHI NAGAR, GUJARAT,, for extension of AICTE Approval / Introduction of new course(s) / Variation in intake (Increase / Decrease), as applicable, for Under Graduate degree level course(s) in Degree Engg. with Annual Intake for each course as given below: -

FULL TIME COURSE(S)	EXISTING ANNUAL INTAKE	REVISED APPROVED INTAKE	ENTRY LEVEL	DURATION (YEARS)	PERIOD OF APPROVAL
INFORMATION TECHNOLOGY	60	60	10+2	4 years	2004-2005
ELECTRICAL ENGINEERING	60	60	10+2	4 years	2004-2005
INSTRUMENTATION & CONTROL ENGINEERING	60	60	10+2	4 years	2004-2005
COMPUTER ENGINEERING	60	60	10+2	4 years	2004-2005
CHEMICAL ENGINEERING	60	60	10+2	4 years	2004-2005
ELECTRONICS & COMM ENGINEERING	60	60	10+2	4 years	2004-2005
TOTAL APPROVED INTAKE	360	360			

----- 2

GOVT. ENGINEERING COLLEGE,
GANDHINAGAR

666
19/5/2004

Receved

इंदिरा गांधी खेल परिसर, इन्द्रप्रस्थ एस्टेट, नई दिल्ली - 110002
Indira Gandhi Sports Complex, I. P. Estate, New Delhi -110 002
दूरभाष / Phone : 23392506, 63-65-68, 71, 73 -75 फैक्स / Fax : 011-23392554
वेबसाइट / Website : www.aicte.ernet.in

The Approval accorded above is subject to the conditions that any of the following is not violated or intervened during the period of validity of said approval:

1. The institution must continue to have Affiliation to a University for the above courses before making admissions. In the absence of such Affiliation this letter of approval shall be treated as Withdrawn (Order of the High Court of Madras in W.P. No. 33256 of 2002 and other Batch of Petitions).
2. The approved course(s) shall commence as per the academic calendar of the Affiliating University.
3. If this letter of approval is received by you after the closing date of State / National Level Central Counseling for Admissions in the concerned State / Union Territory, this Letter of Approval will not be valid for making any admission during the above specified academic year, and shall be treated as withdrawn.
4. *No excess admission shall be made by the Institution during any academic year.*
5. The approval is valid only for the academic year 2004-2005. If no further extension of AICTE approval is received beyond the academic year 2004-2005, this Approval Letter will not be valid for making any admission for the subsequent years.
6. Any other condition(s) as may be specified by AICTE from time to time.

Consequent to the Supreme Court Judgment, the Model Constitution of Governing Body notified by AICTE in its approval Regulations 1994, stands overruled. It has been decided that while AICTE will not insist on any nomination in the Governing Body of Private Unaided Institutions, the Affiliating University / State Government shall impose minimum conditions of affiliation, such as, prescription of qualifications of Governing Body Members, in order to ensure academic excellence. It shall be desirable for the private unaided institutions to induct at least 50% of the members of the Governing Body drawn from renowned academia, academic administrators, Subject Experts and professionals from industry, in order to seek their innovative ideas for continuous improvement in the delivery of teaching learning process, matching best practices elsewhere and achieve excellence.

In exercise of power conferred under 10(p) of the AICTE Act, AICTE, may inspect the institution any time, it may deem fit to verify the progress / compliance or for any other purpose.

The suggested improvements, enclosed, herewith, should be complied with before the commencement of the next academic year, failing which appropriate action may be effected.

No. DTE / SFI / 2005 / F (P) / 2985

DIRECTORATE OF TECHNICAL EDUCATION
2 / 2 DR. JIVRAJ MEHTA BHAVAN
GANDHINAGAR : 382 010.

Dated 13 JUL 2005


GOVT. ENGG. COLLEGE,
GANDHINAGAR

Inward to
Date 20/7/05
Section YDV

Prof.
YDV
14/7

Copy for information & necessary action to :

- 01 The Principal, Government Engg. College, Gandhinagar, Chandkheda, Dist. Gandhiangar.
- 02 The Executive Secretary, Centralized Degree Admission Committee, C/O. LD College of Engineering , College Campus, Ahmedabad - 380 015 - for information and necessary action..
- 03 The Registrar, Gujarat University, P.B No - 4010, Navrangpura, Ahmedabad-380 009
- 04 Division A, C, of DTE Office, Gandhinagar - for information.
- 05 Copy to Division ' D ' H.O. His attention is invited to enclosed copy of AICTE letter as indicated under Annexure ' A ' for several deficiencies related to sortfall of teaching & supporting faculties for necessary action at their end.
- 06 Division ' B ' H.O. for procurement of necessary equipments..



DEPUTY DIRECTOR
TECHNICAL EDUCATION


No. DTE / SFI / 2005 / F (P) / 2985

DIRECTORATE OF TECHNICAL EDUCATION
2 / 2 DR. JIVRAJ MEHTA BHAVAN
GANDHINAGAR : 382 010.

Dated : 13 JUL 2005

Copy for information & necessary action to :

- 01 The Principal, Government Engg. College, Gandhinagar, Chandkheda, Dist. Gandhiangar.
- 02 The Executive Secretary, Centralized Degree Admission Committee, C/O. LD College of Engineering , College Campus, Ahmedabad - 380 015 - for information and necessary action..
- 03 The Registrar, Gujarat University, P.B No - 4010, Navrangpura, Ahmedabad-380 009
- 04 Division A, C, of DTE Office, Gandhinagar - for information.
- 05 Copy to Division 'D' H.O. His attention is invited to enclosed copy of AICTE letter as indicated under Annexure 'A' for several deficiencies related to sortfall of teaching & supporting faculties for necessary action at their end.
- 06 Division 'B' H.O. for procurement of necessary equipments..



DEPUTY DIRECTOR
TECHNICAL EDUCATION

JVT. ENGG. COLLEGE,
GANDHINAGAR
Inward
Date 20/3/05
Section YDV

Prof.
YDV
14/7